ELSEVIER

Fluid Phase Equilibria 99 (1994) 265–266

FLUID PHASE EQUILIBRIA

Contents of Volume 99 (1994)

Theoretical papers

Derivation of Stockmayer potential parameters for polar fluids
M.E. van Leeuwen (Amsterdam, The Netherlands) 1–18

Thermodynamics of mixtures containing linear monocarboxylic acids. I. DISQUAC predictions on molar excess Gibbs energies, molar excess enthalpies and solid–liquid equilibria for mixtures of linear monocarboxylic acids with organic solvents
J.A. González, I.G. de la Fuente, J.C. Cobos and C. Casanova (Valladolid, Spain) 19–33

Simulation studies on mixtures of dipolar and nonpolar linear molecules. I. Liquid/liquid phase separation
A. Müller, J. Winkelmann (Merseburg, Germany) and J. Fischer (Bochum, Germany) 35–47

High-pressure phase equilibria study of the hydrogen–water fluid mixture
O.H. Scalise and A.E. Rodriguez (La Plata, Argentina) 49–62

Prediction of vapor–liquid equilibria of aqueous systems in the subcritical range by using the NRTL equation
A. Vetere (San Donato Milanese, Italy) 63–74

A vapor pressure model for aqueous electrolyte solutions based on mean spherical approximation
I-M. Shiah and H.-C. Tseng (Taipei, Taiwan) 75–85

Equations of state for chainlike polar fluids: a comparison of reference terms
S. Mattedi, F.W. Tavares and M. Castier (Rio de Janeiro, Brazil) 87–103

Group-contribution method for the estimation of vapor pressures
C.-H. Tu (Taichung, Taiwan) 105–120

Mean field lattice equations of state. VI. Prediction of volume and surface parameters via Bondi's group contribution theory
E.J. Beckman, T.A. Hoefling (Pittsburgh, PA, USA), L. Van Opstal, R. Koningsveld (Wilrijk, Belgium) and R.S. Porter (Amherst, MA, USA) 121–133

Lattice fluid hydrogen bonding model with a local segment density
R.B. Gupta and K.P. Johnston (Austin, TX, USA) 135–151

Phase equilibria and thermodynamic properties of molecular fluids from perturbation theory. II. Binary fluid mixtures
K. Shukla (Houston, TX, USA) 153–166

Experimental papers

Thermochemical investigations of hydrogen-bonded solutions. Part 5. Development of predictive equations for the solubility of anthracene in binary alcohol + alcohol mixtures based upon Mobile Order theory
W.E. Acree, Jr., and A.I. Zvaigzne (Denton, TX, USA) 167–183

Thermodynamics of binary mixtures containing linear or cyclic alkenes. II. Mixtures with benzene or tetrachloromethane
B. Marongiu, S. Porcedda (Cagliari, Italy), B. Pittau and H.V. Kehiaian (Paris, France) 185–198

Measurements of liquid densities of the binary HFC-32 + HFC-134a system
J.V. Widiatmo, H. Sato and K. Watanabe (Yokohama, Japan) 199–207

The critical properties of perfluoro *n*-alkanes
V. Vandana, D.J. Rosenthal and A.S. Teja (Atlanta, GA, USA) 209–218

Prediction of liquid–liquid equilibria in ternary mixtures from binary data
J. Suresh and E.J. Beckman (Pittsburgh, PA, USA) 219–240

Isothermal binary and ternary vapour–liquid equilibria of tetraethylene glycol with *n*-decane and 2-methylnaphthalene at 160°C
S.K. Gupta and B.S. Rawat (Dehra Dun, India) 241–248

0378-3812/94/$07.00 © 1994 – Elsevier Science B.V. All rights reserved

Investigation of phase equilibrium for ternary systems containing ethanol, water and carbon dioxide at elevated pressures
S.J. Yao, Y.X. Guan and Z.Q. Zhu (Hangzhou, People's Republic of China) 249–259

Corrigendum 261

Subject Index 263

Author Index 264

Contents of Volume 99 (1994) 265–266